

DEKOGROUT 2/12 - Consumo-DEKOGROUT per fughe da 2 a 12 mm. Consumo di sigillante: kg per 10 m² di superficie rivestita

Formato piastrelle (cm)	Spessore (cm)	Larghezza fughe (mm)							
		2	3	4	5	7	10	12	
2 x 2	0,4	10,5	15,0	19,5	24,0	33,5	47,0	56,0	
5 x 5	0,4	7,0	9,5	12,0	14,5	19,5	27,5	32,5	
10 x 10	1,0	8,0	11,0	14,5	18,0	24,0	34,0	40,5	
10 x 10	0,6	5,5	7,5	9,5	11,0	15,0	21,0	25,0	
12,5 x 12,5	1,0	7,0	9,5	12,0	14,5	19,5	27,5	32,5	
10 x 20	0,8	5,5	7,5	9,5	11,0	15,0	21,0	25,0	
15 x 15	1,4	8,0	11,0	14,0	17,5	24,0	33,5	39,5	
15 x 15	0,8	5,0	7,0	9,0	10,5	14,0	19,5	23,5	
20 x 20	0,8	6,0	8,5	10,5	13,0	17,5	24,0	29,0	
20 x 20	0,4	4,0	5,5	7,0	8,0	10,5	14,5	17,0	
25 x 25	1,0	4,0	5,5	7,0	8,0	10,5	14,5	17,0	
25 x 35	1,0	4,0	5,5	7,0	8,0	10,5	14,5	17,0	
30 x 30	1,4	5,0	7,0	9,0	10,5	14,0	19,5	23,5	
30 x 30	0,8	3,5	4,5	5,5	7,0	9,0	12,0	14,0	
35 x 35	0,8	3,5	4,5	5,5	7,0	9,0	12,0	14,0	
40 x 40	1,0	3,5	4,5	5,5	6,5	8,5	11,0	13,0	
30 x 60	1,0	3,5	4,5	5,5	6,5	8,5	11,0	13,0	
60 x 60	1,0	3,0	3,5	4,0	5,0	6,0	8,0	9,5	